

BOSS
SNOWFLOW

2024-25 SEASON | BOSS EQUIPMENT

CEDAR CREEK
MOTORSPORTS
CEDARBURG, WI





SNOWPLOWS

No Winches. No Cables. No Pulleys.

Standard Features

- High-Performance Hydraulics Package
- Enclosed Hydraulics
- Full Moldboard Trip Design
- Direct Hydraulic Cylinder Lifting System
- Reversible Cutting Edge (4' & 5' Mid-Size Straight-Blade Only)
- Heavy-Duty Cutting Edge
- Patented Snow Catcher (V-Plows only)
- SmartTouch® 2 Controller
- Handlebar Switch Box Controller (ATV only)

Optional Accessories

- Headlight kits
- Urethane Edge Kit
- Front Hitch Kit (Full-Size UTV Only)
- SmartLock® Cylinders (Full-Size UTV V-Plow Only)
- SmartHitch® 2 Mounting Option (Full-Size UTV Only)
- Caster Wheel Kit (6'6" V-Plow Only)
- Box Wing Kit (Mid-Size Straight-Blade Only)
- Wing Extensions (Mid-Size Straight-Blade Only)
- Skid Plate (ATV/Mid-Size UTV)
- Snow Deflector
- Blade Guides
- Plow Shoe Kits
- Turf Defender
- Curb Guards
- 3/8" AR450 Extended Wear Cutting Edge (4' Straight-Blade Only)

Compatible Toro® Vehicles

4' Straight-Blades

- All Toro® Dingo® models except the TXL 2000 & e-Dingo®
- GrandStand® Multi-Force

5' Straight-Blade Plows

- Toro® Workman® HDX
- Toro® Workman® MDX
- All Toro® Dingo® models except the TXL 2000 & e-Dingo®
- GrandStand® Multi-Force

6' Straight-Blade / 6'6" XT Plow

- Toro® UTX

For a complete listing of compatible ATVs,UTVs and compact vehicles, please see bossplow.com.



Product Specs

5'6" XT V-Plow

Steel

66" | 69"

Straight-Blade Width | Curb Guard Width*

59" | 61"

V-Position Blade Width | Curb Guard Width*

56" | 62"

Scoop-Position Blade Width | Curb Guard Width*

18" inside; 23" outside
Blade Height

245 lbs
Plow Weight

Quick Attach
Attachment System

ATVs, Toro® Vehicles (Straight-Blade only) and Mid-Size UTVs
Vehicle Application

6'6" XT V-Plow

Steel

78" | 80"

Straight-Blade Width | Curb Guard Width*

69" | 71"

V-Position Blade Width | Curb Guard Width*

67" | 74"

Scoop-Position Blade Width | Curb Guard Width*

25" inside; 31" outside
Blade Height

400 lbs
Plow Weight

RT3 (SmartHitch® 2
optional)
Attachment System

Full-Size UTVs
Vehicle Application



SEE IT IN ACTION



Product Specs

4' STRAIGHT

Poly

48"
Straight-Blade Width

22"
Blade Height

170 lbs
Plow Weight

Quick Attach
Attachment System

ATVs, Toro® Vehicles (Straight-Blade only) and Mid-Size UTVs
Vehicle Application

5' STRAIGHT

Poly

60"
Straight-Blade Width

22"
Blade Height

190 lbs
Plow Weight

Quick Attach
Attachment System

ATVs, Toro® Vehicles (Straight-Blade only) and Mid-Size UTVs
Vehicle Application

6' STRAIGHT

Poly

72"
Straight-Blade Width | Curb Guard Width*

25"
Blade Height

314 lbs
Plow Weight

RT3 (SmartHitch® 2 optional)
Attachment System

Full-Size UTVs
Vehicle Application

*Maximum product width. Consult product selector tool at bossplow.com for recommended applications.



WATCH A
PRODUCT OVERVIEW



EXACT PATH[®] DROP SPREADERS

Strength, Speed and Precision.

Standard Features

- Enclosed 12-Volt Electric High-Torque Motor
- Variable Speed Control
- 8-Position Adjustable Feed Gate
- Stainless Steel Hopper and Frame Construction
- Solid Poly Hopper Cover With Flexible Draw Latch
- Stainless Steel Top Screen With Bag Splitter

Attachment Methods

- Category 1, 3-Point Hitch
- Toro[®] Groundsmaster[®] Mount Kit
- UTV Bed Mount Kit
- Height-Adjustable 2" Slide-In Receiver

Product Specs

Exact Path[®] 2.5

2.5 cu.ft.
Capacity Volume

22"
Overall Height

12"
Hopper Length

47"
Overall Width

500 lbs
Minimum Bed Capacity

40"
Spreading Width

150 lbs
Empty Weight

Exact Path[®] 6.0

6.0 cu.ft.
Capacity Volume

30"
Overall Height

16"
Hopper Length

47"
Overall Width

1,000 lbs
Minimum Bed Capacity

40"
Spreading Width

175 lbs
Empty Weight

The selection of proper deicing materials can be complex and varies by personal preference, experience and environmental concerns. All factors should be considered before making your selection.



WATCH A
PRODUCT OVERVIEW



VBX 3000

Power and Efficiency in a Compact Size.

Standard Features

- Poly Hopper
- Tarp with Integrated Tie-Downs
- Inverted V-Baffle
- Shaftless 4" Auger with 4" of Pitch
- Vibrator
- 12" Diameter Urethane Spinner
- Spinner Motor
- Dual Motor Control

Optional Accessory

- Backup Camera
- LED Worklight Kit

Product Specs

VBX 3000

12 cu.ft
Hopper Capacity

28"^H x 42"^L x 50"^{W*}
Hopper Size

34"
Minimum Bed Length

2'-40'
Spreading Width

230 lbs
Complete Unit Weight (Empty)

1,000 lbs
Bed Capacity

The selection of proper deicing materials can be complex and varies by personal preference, experience and environmental concerns. All factors should be considered before making your selection. *Maximum product width. Consult product selector tool at bossplow.com for recommended applications.

SPREADER

MATERIAL APPLICATION GUIDE

Bag Deicers 1-4

<p>Bagged Small Pellets</p>  <p>1</p>	<p>Bagged Salt With Calcium Chloride Flakes</p>  <p>2</p>	<p>Bagged Pellet & Rock Salt Mix</p>  <p>3</p>	<p>Bagged Rock Salt</p>  <p>4</p>	<p>Fine Bulk Salt</p>  <p>5</p>
--	---	---	---	---



1 2 3 4
WBX Series



1 2 3 4
TGS 300



2 3 4 **5 6 7**
TGS 600



5 6 7 8 9
TGS 800



2 3 4 **5 6 7**
TGS 1100





DOWNLOAD HERE

Bulk Salt 5-7

Coarse Bulk Salt

6

Very Coarse Bulk Salt

7

Salt/Sand & Sand 8-9

Sand/Salt Mix

8

Sand

9



2 3 4 5 6 7

QuickCube®



1 2 3 4 5 6 7 8 9

EXACT PATH®



5 6 7 8*

**VBX
AUGER**

VBX 3000 | VBX 6500
VBX 8000 | VBX 9000



5 6 7 8* 9*

**VBX
PINTLE**

VBX 6500 | VBX 8000
VBX 9000

5 6 7 8*

**VBX+
AUGER**

5 6 7 8* 9*

**VBX+
PINTLE**

NOTE: Assumes dry, free-flowing material. Vibrators should not run continuously. The selection of proper deicing materials can be complex and varies by personal preference, experience and environmental concerns. All factors should be considered before making your selection.

*Materials that recommend a vibrator.

ICE CONTROL PARTS & ACCESSORIES

BOSS



SEE MORE

HOPPER SPREADERS



Pre-Wet System

Equipped with a 60-gallon tank, the pre-wet system allows contractors to pre-wet solid deicing materials as they are distributed. (Excludes VBX 3000, TGS & EXACT PATH.®)

Hopper Vibrator Kit

Improve material flow and handling with the addition of the Hopper Spreader Vibrator Kit, standard on auger.

License Plate Light

Illuminate your license plate with ease by relocating it to the spreader with our license plate light. Compliant with FMVSS (Federal Motor Vehicle Safety Standards), our light ensures your license plate remains visible without obstruction. Upgrade now for enhanced visibility and compliance.

TGS

TGS Vibrator Kit

Improve material flow and handling with the TGS Vibrator Kit. This kit reduces material flow issues and increases your efficiency and profitability. (Not recommended for TGS 300.)

TOOLS



Scoop & Pusher Shovels

These tough, durable, high-performance shovels are built for the abuse of the season with premium blade material for unmatched scraping ability. Pusher shovels available in 28", 36" and 48" widths.



WBX Series: Walk-Behind Spreaders

Simply and effectively spread deicing material with professional-grade BOSS Walk-Behind Spreaders. Available in 80 lbs or 100 lbs.



Backup Camera

The spreader backup camera has a 150° viewing angle, 20G vibration rating and IP68 waterproof rating. It is equipped with infrared lights that allow for 50 feet of vision at night as well as a 7" LCD color monitor with backlit buttons.

Inverted V

Control the weight and flow of materials onto the pintle chain with this optional accessory. Inverted V comes standard on auger spreaders.

VBX & VBX+ Pintle Chain Cleanout Tray

The simple solution for keeping your truck bed free of salt and sand debris. Designed to fit snugly under the chain, it effortlessly catches any loose material before it reaches your truck bed. Plus, with its easy-to-pull-out feature, dumping collected debris is a breeze. Say goodbye to messy truck beds and hello to hassle-free maintenance.

Material Saver System

Eliminate material flow when the spreader is not in use. (Standard on TGS 300; optional on TGS 600 and TGS 1100. Not available on TGS 800.)



5-Gallon Buckets & Lids

Be ready for the worst weather with 5-gallon buckets that allow you to carry additional supplies to any job site. (Buckets and lids sold separately.)



Beacon Light

Designed for snow and ice control professionals, the new Beacon Warning Light offers a low profile, 6" rotating beacon that is completely dust- and water-tight to withstand the elements. With a suction cup and magnetic attachment, the Beacon Warning Light is suitable for a wide range of trucks and equipment.

COMPACT EQUIPMENT PARTS & ACCESSORIES

PLOW ATTACHMENTS & ENHANCEMENTS



Plow Shoes/Plow Shoe Kit

Help extend the life of the plow's cutting edge and deliver extended wear resistance by adding a set of durable, ultra-rugged plow shoes.

Front Hitch Kit

The front hitch kit secures to the full-size UTV undercarriage. This kit is recommended for UTVs where the undercarriage interferes with the OEM front hitch.

SmartLock® Cylinder

Keep your V-plow locked securely in the straight position while backdragging with these easy-to-install locking cylinders (full-size UTV V-plow only).



Plow Caster Wheels

Ideal for moving your plow around in the garage or service bay, these caster wheels utilize existing shoe holders on the blade and make moving the plow a breeze. These heavy-duty wheels feature steel ball bearings for smooth movement and long-lasting life. Available for 6'6" XT Plow.

SmartHitch® 2

Designed to be simple and easy to attach and detach the plow. Flip, plug, click. The three-step attachment process makes it easy to attach (full-size UTVs only).

Skid Plate Accessory Kit

Protect your undercarriage when the plow has been removed with the BOSS ATV/mid-size UTV skid plate.

Shop BOSS Gear

Rep BOSS Snowplow all year-round with the official apparel, headwear and accessories from BOSS. From headwear to hoodies, jackets, vests and accessories, BOSS has gear for every occasion. Scan the QR code to gear up!



BLADE PERFORMANCE



SEE MORE



Rubber Snow Deflector

Increase visibility and safety with a rubber snow deflector designed specifically for BOSS compact vehicle snowplows.



Blade Extensions

Extend the width of your ATV/mid-size UTV straight-blade plow by 12" overall (6" on each side) with the blade extension kit. This kit enhances the plow's snow-clearing abilities by widening its reach.

Turf Defender

The BOSS Turf Defender aims to shield sensitive surfaces, like turf and gravel, from the aggressive bite of the conventional cutting edge. The rounded edge allows the plow to float over grass, gravel and other loose or soft landscaping materials, moving the snow and not what lies underneath it.



LIGHT ADD-ON

Beacon Light

Designed for snow and ice control professionals, the new Beacon Warning Light offers a low profile, 6" rotating beacon that is completely dust- and water-tight to withstand the elements. With a suction cup and magnetic attachment, the Beacon Warning Light is suitable for a wide range of trucks and equipment.



LIGHTING OPTIONS

LED Headlight Kit

Designed for tough conditions, optional LED headlight kits offer a hardened clear glass lens housed in reinforced fiberglass plastic for long-lasting durability. This headlight kit includes the plow-side and vehicle-side wiring harnesses, headlight brackets and all the hardware necessary to outfit 6'0" UTV straight-blade and 6'6" UTV XT Plows.



TWO-YEAR LIMITED WARRANTY

All BOSS snowplows and equipment are guaranteed to be free from defects in material and workmanship for two full years from the date of purchase. Stop by any authorized BOSS Dealer to receive complete details on our two-year parts and labor warranty. Please visit bossplow.com for more details.

LEGAL STATEMENT

Vehicles intended to be equipped with a spreader and/or snowplow must comply with the vehicle manufacturers' specifications for equipment application. BOSS Products, a division of The Toro Company, reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used herein. BOSS Products may be protected by one or more patents; please see bossplow.com for more details.

To comply with federal regulations and to ensure a safe vehicle, do not exceed the front gross axle weight rating (FGAWR), rear gross axle weight rating (RGAWR), gross vehicle weight rating (GVWR) or maximum vehicle payload ratings at any time. Combinations of equipment such as snowplows and spreaders, density of material being spread and the number of vehicle occupants should be taken into consideration. Ensuring these limitations are not exceeded may require weighing the vehicle and adding ballast as necessary. For receiver hitch-mounted products, do not exceed hitch rating at any time. Completed vehicle must not exceed front GAWR, rear GAWR or GVWR.



Enhance the power, performance and durability of your BOSS product with Genuine BOSS Parts & Accessories. Ask your dealer for information or shop online at bossplow.com.



BOSSPLOW.COM



See how BOSS continues to BACK YOU UP.
Get more info, watch videos, find a dealer or chat live.



With a user-friendly interface, Horizon360 is a powerful tool that simplifies scheduling, invoicing and client management. Visit horizon360.toro.com to learn more.



With quality and reliability at the forefront, BOSS Genuine Parts are designed, built and tested to fit your BOSS product.



SnowCare for Troops is a nationwide outreach program that performs free snow removal for active military families. Sign up today at ProjectEvergreen.com.



Ask your dealer or visit bossplow.com to explore the complete lineup of BOSS products, including Truck Equipment, Compact Vehicle Equipment, Heavy Equipment, Ice Control Equipment, Snowrator® and Accessories. Ask your local dealer about financing options!



Join the BOSS Owners Group and receive a free gift, along with a personalized profile page and exclusive access to special offers and information about BOSS products and services! Visit bossplow.com/owners to learn more.

PATENTS: www.ttcopats.com

©2024 BOSS Products. All Rights Reserved. Printed in U.S.A.
Form #SLS-TRK02024

Chevy and the Chevy logo are registered trademarks of General Motors Corporation. Ford and FX4 are registered trademarks of Ford Motor Company. Dodge and Ram are registered trademarks of FCA US LLC. Komatsu is a registered trademark of Komatsu Matere Co. John Deere is a registered trademark of Deere & Company. Kubota is a registered trademark of Kubota Corporation. The CAT logo is a registered trademark of Caterpillar Inc. Case is a registered trademark of CNH Industrial America. The Omnia Partners logo is a registered service mark of Omnia Partners, Inc. The Sourcewell logo is a service mark of National Joint Power Alliance. All other trademarks belong to The Toro Company.



OMNIA
PARTNERS



BOSS Products
2010 The BOSS Way
Iron Mountain, MI 49801

BOSS Snowplow Products are designed and manufactured in an approved ISO 9001:2015 registered facility.

